

**PT Performance Overview – Laboratory Subspecialty &Analyte Summary**

CAP #	CLIA #	Name / Address	CAP Accreditation Participant	Demographic Group
6848401		American Hospital Istanbul, 34365 Turkey		

Yellow highlight indicates acceptable % less than 90; Red highlight indicates acceptable % less than 80.

Subspecialty	Acceptable %			Demographic Group Average			CAP-wide Average		
	2019	2018	2017	2019	2018	2017	2019	2018	2017
ABO Group/Rh Type		100.00%	100.00%					98.71%	98.62%
Bacteriology	100.00%	99.16%	98.57%				99.06%	98.49%	98.19%
Compatibility Testing		100.00%	100.00%					98.00%	97.70%
General Immunology	100.00%	99.63%	97.57%				98.61%	98.31%	97.93%
Hematology	100.00%	99.71%	99.36%				98.77%	98.57%	98.60%
Parasitology	90.00%	90.91%	90.32%				97.03%	97.32%	97.16%
Routine Chemistry	100.00%	97.91%	98.06%				98.76%	98.74%	98.73%
TDM/Endocrinology	95.83%	97.02%	99.00%				98.28%	98.39%	98.25%
Unexpected Antibody Det		100.00%	100.00%					98.93%	98.79%
Virology			100.00%						99.21%

AMERİKAN HASTANESİ  
KLİNİK LABORATUVARI  
Güzelbahçe Sokak No: 20  
80200 Nişantaşı / İSTANBUL